

The trendy beach flag: Aventos

Aventos is flying high. Immediately since the introduction.

It is the unrivalled strongest beach flag available on the market. However the flag flies on many different locations as well. Indoors as well as outdoors. This is not surprising since this contemporary flag variant has many advantages. With its strong aluminium frame (much stronger than the often used boom) and its fabric, which is printed through-and-through, it appears to be fully unruffled and aesthetic. It is light-weight and therefore can be set-up in an easy manner. It is suited for all stands and not unimportantly, it is very attractive priced. In other words, Aventos can be used for numerous occasions. And it shows.





Technical specifications

- Frame consists of 4 individual elements, which can be mounted to a perfect fit.
- Material thickness of tube 1.2 mm.
- Diameter of the aluminuim element 25 mm.
- Arch width: 60, 70 cm and 90 cm.
- Modular set-up, easy to extend: 1 additional pole element
 construction height increase of 95 cm.
- Fabric seames or cut at full length. Elastic tunnelling tape in black or white
- A number of floor pins, stands, base plates and feet (which can be filled with water) as the basis.
- . Polyester fabrics can be 100% recycled for re-use
- Dyes used are waterbased and do not contain any heavy metals or VOC's.









All the Aventos advantages at a glance:

- Significantly stronger and more stable than
- · rib-frames or booms.
- Durable frame. Made of aluminium, with the highest material-thickness.
- Mobile and light weight. Easy set-up guaranteed.
- · Suited for all types of stands.
- Rotating 360 degrees.
- Fabric printed through-and-through.
- Fabric can be 100% recycled for re-use.

Ready-to-use options



Packaging

Orders upto 250 pieces will be delivered in a luxurious carrying bag including, frame, flag and a steel floor pin.

Other base pins or stands can always be added. Bulk-orders from 250 pieces and up can be delivered otherwise.



Listing of all dimensions:

Models of the most frequent sold ready-to-use options: Standard, Winder, Round:

Art. No.	Frame width 90 cm	Corresponding fabric (w x l)	Bag includes steel floor pin
8362	70 x 230 cm	70 x 190 cm	upto 250 pieces
9031	70 x 300 cm	70 x 260 cm	upto 250 pieces
7237	90 x 320 cm	90 x 280 cm	upto 250 pieces
9029	90 x 415 cm	90 x 375 cm	upto 250 pieces
9030	90 x 510 cm	90 x 470 cm	upto 250 pieces



	•		
Art. No.	Frame width 90 cm	Corresponding fabric (w x I)	Bag includes steel floor pin
9032	60 x 200 cm	60 x 160 cm	upto 250 pieces
9033	90 x 300 cm	90 x 250 cm	upto 250 pieces
9034	90 x 400 cm	90 x 350 cm	upto 250 pieces











Special applications





From base pin to umbrella stand, which can be filled with water, it can be used to install the Aventos construction as a representative eye-catcher. It is important that the stand can continuously rotate 360 degrees at all times. The fastening options detailed below are the most frequent sold options. Alternatives can be discussed with our Sales Department. The Aventos is delivered including a steel base pin as a standard, and packed in a luxurious polyester carrying bag. Other-opti ons can be discussed.



Art. No. 7584



Art. No. 7971



Art. No. 7874



Art. No. 7142



Art. No. 7358



Art. No. 8006



Art. No. 7586

Art.No. 7584 Ground spike. Length 60 cm. Suited for hard soil and sand beach as well.

Art.No. 7971 Galvanize Base. Suited for outdoor use. Permanent installation base.

Art.No. 7874 Cross base. Extruded steel. Anthracite 59 cm. Suited for indoor use.

Art.No. 7142 Ground plate. 40x40 cm. Thickness 5 mm. Anthracite. Extruded steel.

Art.No. 7358 Auto stand. 60x17.5 cm Pin-interior. Steel. Light grey. Extruded steel.

Art.No. 8006 Water tank & spindle base. Contains water up to 15 kgs. Easy to transport.

Art.No. 7586 Luxurious carrying bag. Length 130 cm. Marine blue. Polyester.

Disclaimer: The Aventos framers are much stronger than rods and are made of (1.2mm) thick-walled aluminium. However, the structure cannot withstand constant winds of wind-force Beaufort 5 or higher. This particularly applies to frames of 4 meters and over. The Aventos should therefore be used as a semi-permanent display. The supplier is not liable for any undue force applied (e.g. frame blocking)



Head Office: Deccaweg 30, 1042 AD Amsterdam, The Netherlands

Sales Office Thailand: 1 MD Tower 18 FL. C1, Bangna, Bangkok

Tel. + 66 186-4941-2 Email: sales@faberflagsasial.com

Factory Thailand: 582 Sukhumvit Rd., Bangpoomai, Muang Samut Prakarn.