

M15



| Щ |
|--------------------------|
| ш |
| Z |
| |
| ᆂ |
| |
| 7 |
| |
| 2 |
| |
| $\underline{\mathbf{Q}}$ |
| Z |
| ~ |
| щ. |
| ш |
| ш |
| |
| |
| (5 |
| |
| m |
| ш |
| _ |
| Ш |
| |
| |
| ш |
| |

| Continuous output of genset | | | 5KVA |
|-----------------------------|----------------------|--------|---------------------------------|
| Diesel Engine Alternator | Model | | Lion Engine LN480D |
| | No. of Cylinder | | 1 |
| | 12Hours Rated output | KW | 5.7 |
| | Fuel Consumption | g/kw.h | 275 |
| | Cooling Method | | |
| | Bore X stroke | mm | 72*86 |
| | Engine speed | RPM | 3000 |
| | Starting Method | | |
| | Model | | TFW-5KW |
| | Rated Output | KW | 5 |
| | Rated Voltage | V | 230V |
| | Rated Speed | RPM | 3000 |
| | Frepuency | HZ | 50 |
| | Rower Factor | | 1 |
| | Phase Connection | | Single-phase 3-phase, 4-wire |
| | Exciation | | |
| | Control Panel | | Manual |
| | Base Fuel Tank | | Included |
| | Battery | | Included |