

Why Yeastar?

- World's leading brand over 100 countries around the world
- Over 50% investment in R&D

➔ Features cover the demand of the market

Advantages

- P-Series PBX System: ถูกออกแบบมาสำหรับ SMEs เพื่อที่จะเพิ่มเติมความต้องการทางการสื่อสารที่ครบวงจร และสมบูรณ์แบบ ครอบคลุมทุกการใช้งาน รวมไปถึง voice, video, applications, collaboration และอื่นๆอีกมากมาย
- S-Series VoIP PBX: ถูกออกแบบมาเพื่อการจัดการ และติดตั้งอย่างง่าย สะดวก รวดเร็ว รวมไปถึง features ที่ครบครัน เพิ่มเติมด้วย unified communications และครอบคลุมทุกความต้องการของ SMEs.
- VoIP Gateways: ครอบคลุมทุกระดับ และ การใช้งานของ VoIP Gateways โดยเชื่อมต่อแบบ FXS, FXO, GSM/3G/4G, ISDN PRI ไปยัง VoIP.
- Linkus UC Softphone (for mobile , desktop)
- Ease of PBX deployment and management
- Cloud PBX
- Call Center
- Analogue, E1/PRI, ISDN, SIP trunk
- รองรับการใช้งานร่วมกับ IP Phone หลากหลายยี่ห้อ



The World's Leading Provider of SME PBX System

- Founded in 2006
- 2 locations: China and US
- 200+ employees
- Strong R&D team: 100+ staff
- Global footprint in 100+ countries
- 200,000 satisfied customers
- Global SME IP-PBX Leader & Innovator




Yeastar Today

Global SME IP-PBX Leader & Innovator

TOP 3
ON PREMISE PBX IN
CHINA

TOP 10
ON PREMISE PBX
WORLD WIDE

Continuous Revenue Growth



Our revenue keeps growing at an average of 30% annual growth rate.

Multiple growth engines: full suite of UC solutions, proven products and services, high-performing elite team...



Yeastar On-premise PBX Overview



■ S-Series VoIP PBX

An entry-level PBX system for SMEs



■ P-Series PBX System

A “PBX-Plus-More” system for SMEs



■ K2 Large Capacity IPPBX

An ideal phone system for Large Enterprises



S-Series VoIP PBX

All-inclusive Features. Designed for SMBs.



S412



S20



S50



S100



S300




S-Series VoIP PBX Specifications

	S412	S20	S50	S100	S300
Users	20	20	50	100 (up to 200)	300 (up to 500)
Max Concurrent call	8	10	25	30 (up to 60)	60 (up to 120)
Max FXS Ports	12	4	8	16	24
Max FXO/BRI Ports	4	4	8	16	24
Max Cellular Ports	2	1	4	6	6
Max E1/T1/J1 Ports	N/A	N/A	N/A	2	3
VoIP Trunks	4	20	50	100	100
Protocol	SIP (RFC3261)				
Transport Protocol	UDP, TCP, TLS, SRTP				
Codec	G711(alaw/ulaw), G722, G726, G729A, GSM, Speex, ADPCM, iLBC, H263, H263P, H264, MPEG4				
Voicemail/Recording	5000 mins (expandable)			10000 mins (expandable)	

Modules Provides Telephony Interfaces




S2 Module
2 FXS ports




O2 Module
2 FXO ports



SO Module
1 FXS and 1 FXO port



B2 Module
2 BRI ports




GSM/3G/4G Module
1 GSM/WCDMA/LTE Channel

The telephony interfaces of your choice in one device:

- S2 Module: two analog phones or fax machines
- O2 Module: two PSTN lines
- SO Module: PSTN fallback
- B2 Module: two ISDN BRI lines
- GSM Module: 1 GSM channel for voice call
- 3G Module: 1 WCDMA channel for voice call
- 4G Module: 1 4G LTE channel for voice call and SIP trunking over 4G data

Linkus Unified Communications App



Seamless UC Experience Across All Devices



1 Bring your extensions with you

ทำให้ง่ายต่อการโทรออกและรับสายผ่าน VoIP บนคอมพิวเตอร์ และโทรศัพท์มือถือของท่าน โดยสามารถใช้งานฟังก์ชันต่างๆ ที่ครอบคลุมสำหรับทุกองค์กร นอกจากนี้ยังสามารถทำให้ทุก Device เป็นเบอร์เดียวกันและเข้าถึง Contact ที่มีอยู่ทั้งของ องค์กรและส่วนบุคคลได้อย่างรวดเร็ว

2 Manage and control your calls

การโอนสาย, พักสาย, ปิดเสียงและบันทึกการโทรออกไปยัง หมายเลขโทรศัพท์หรือหมายเลขภายใน ท่านยังสามารถดู Missed Call เพื่อตรวจสอบประวัติการโทรออกของ Voice Mail และการบันทึกข้อมูลโดยกดเพียงปุ่มเดียว

3 Consolidated collaboration

หน้าจอจะแสดงสถานะการใช้งานของเพื่อนร่วมงานของท่าน เพียงกดไม่กี่ครั้งก็สามารถแชตหรือสร้างกลุ่มแชตกับเพื่อน ร่วมงาน รวมถึงสามารถสื่อสารกับ Contact ที่อยู่ในระบบ CRM ของท่านได้อย่างราบรื่น

Customer Use Cases

Work in the Office



- Flexible terminals: IP phone, desktop/mobile softphone
- Communicate effectively with customers and colleagues who might not work in the office

Multiple Offices



- Free and secure inter-office communications
- Unified corporate number providing the branch office with an appearance of corporate unity.

Mobile & Remote Workers



- Turn your PC, or mobile phone into an office extension; never miss a call
- One number reach to present a professional corporate image

S-SERIES VOIP PBX

RELIABLE, SIMPLE, FUTURE-PROOF
UNIFIED COMMUNICATIONS SOLUTION

- All-in-one UC Solution
- 200,000 customers worldwide
- The world's leading SME PBX System





P-Series PBX System

A "PBX-Plus-More" System



P550



P560



P570



P-Series Appliances Specifications

	P550	P560	P570
Extension	50	100 / 200	300 / 400 / 500
Concurrent Calls	25	30 / 60	60 / 90 / 120
NFC Read/Write	Yes	Yes	Yes
Flash	8GB	16GB	16GB
RAM	DDR4 2GB	DDR4 2GB	DDR4 4GB
FXS/FXO/BRI	Max. 8	Max. 8	Max. 16
E1/T1/J1	N / A	Max. 1	Max. 2
GSM / 3G / 4G LTE	Max. 4	Max. 4	Max. 6
Expandable D30	0	1	2
USB (2.0)	1 (Up to 2TB)		
Hard Disk (SSD)	N / A	1 SATA (Up to 2TB)	
WAN	1 (10/100/1000 Mbps)		
LAN	1 (10/100/1000 Mbps)		

A Wealth of Features for Efficient Communication

All the superior PBX features, included with the appliances

Business Features

- BLF Support
- Business Hours & Holidays
- Call Allow/Block List
- Call Recording
- Custom Prompts
- DNIS
- Emergency Number
- Emergency Notifications
- Import & Export
- Mobility Extension
- Music on Hold
- MOH Playlist
- Microsoft Teams Integration
- Remote Extensions
- Speed Dial
- T.38 Fax
- Fax to email
- Voicemail
- Personal Voicemail Greeting
- Voicemail to email
- WebRTC Audio Call

Telephony Features

- Call Forwarding
- Call Monitoring
(Listen/Whisper/Barge-in)
- Call Parking
- Call Pickup
- Attended Transfer
- Call Waiting
- Caller ID
- CID-based Call Routing
- DID-based Call Routing
- Conference Rooms
- Dial by Name
- DID (Direct Inward Dialing)
- DOD (Direct Outward Dialing)
- DND (Do Not Disturb)
- DISA
- IVR
- Queue
- Ring Group
- CDR & Basic Reports

Administration & Security

- Web-based User Portal
- Dashboard
- Granular User Role
- Extension Bulk Import
- Trunk Bulk Import
- Extension Group
- Built-in SMTP Server
- Event Logs
- Event Notifications
- Network Drive
- Backup and Restore
- Operation Logs
- SRTP & TLS Encryption
- Troubleshooting
- Security
 - Password Policy Enforcement
 - Auto Defense
 - Static Defense
 - IP Blocklist
 - Security Alerts via Email

Unified Communications

- Linkus Mobile Client (iOS & Android)
- Linkus Desktop Client (Windows & MacOS)
- Linkus Web Client
- Click to Call Chrome Extension
- Linkus Select & Dial with Hotkey
- Audio Conferencing
- Contacts
 - Company Contacts & Personal Contacts
 - Sync contacts across Linkus UC Clients
- Unified Messaging
- Operator Panel
 - Unlimited Users
 - Dispatch Active Calls (Redirect, Transfer, Hang up, Record, Park, Monitor)
 - Monitor Call Status (Inbound, Outbound, Extension, Parked Calls, Ring Group, Queue)
- Unified Presence
- Switch Presence Status
- Switch Business Hours

Compare P-Series PBX System Plans

Enterprise Plan



Add Call Center and Remote Access Service to your PBX.

Remote Access Service

- Yeastar Supplied Domain Name
- Remote and Secure Web Access
- Linkus Remote Connection

Call Center

- Real-time Wallboard
- Switchboard-type Queue Panel
- SLA for Performance Monitor
- Advanced Reports

Ultimate Plan



Everything in Enterprise Plan plus video communications.

Video Conferencing

- Instant Link Invitation
- HD Audio and Video
- Screen Sharing
- In-meeting Team Chat

WebRTC Video Call

- 1:1 Video on Web Client
- Seamless Video-audio Switch

Call Center Solution

Every SME needs a call center solution to deliver exceptional customer service and maximize agent efficiency



Features

- Wallboard
- SLA rule & notification
- Queue Panel
- Advanced queue reports

Benefits


- Improve inbound call center productivity
- Real-time queue performance & statistics
- Instantly control queue calls
- Boost customer experience

Linkus UC Clients: Stay Connected Anywhere Anytime



- Single phone number, universal directory, enterprise telephony, reduced call costs
- Check colleague's presence and availability for efficient collaboration
- Same calling experience from desktop, mobile, and browser
- Work from anywhere quickly and securely, and stay engaged and productive

Free Softphone & Unified Communications



Presence



Chat



CRM integration



Click to call

Works with P-Series, S-Series, K2, and Yeastar Cloud PBX.

Enhanced Linkus Web Client





Calling



Meeting




Work from Anywhere



The Right Set of UC Features

Operator Panel

- คอนโซลบนเว็บที่ใช้งานง่าย
- การจัดการสายเรียกเข้าตามความพร้อมใช้งานแบบเรียลไทม์ของพนักงาน
- Drag and drop บนหน้าจอเพื่อโอนสายไปยัง ext. ต่างๆ, หรือให้ดังพร้อมกันในกลุ่มและการต่อคิวการรับสาย
- คลิกเพื่อโอนสาย, รอสาย, รับสาย, วางสาย
มอนิเตอร์สายและอื่นๆ



Remote Access Service

Enable Anywhere-Anytime Productivity Instantly, Securely for P-Series PBX System Users



Yeastar-supplied
Domain Name for
your custom PBX
URL



Secure & Remote
Web Access to P-
Series admin/user
portal



One-click Linkus
UC Clients
Remote
Connection



Consistent in-office
experiences with
full feature access

Video Conferencing is becoming a part of work life




77% ของผู้เข้าร่วมประชุมผ่านทาง Video Meeting บนแล็ปท็อปหรือคอมพิวเตอร์เดสก์ท็อป

80% ของพนักงานใช้วิดีโอคอลสำหรับการประชุม 1: 1


87% ของพนักงานที่ทำงานนอกออฟฟิศกล่าวว่าพวกเขา รู้สึกมีส่วนร่วม กับทีมงานและงานต่าง ๆ มากขึ้นเมื่อประชุมผ่านทาง Video Conference

Video Conferencing on Linkus Web Client



- Share your screen and select from your entire screen, a window, or Chrome tab
- Share thoughts with in-meeting chat
- Switch between Gallery view and Speaker view

Make It Hybrid If You Need.



Yeastar VoIP Gateways

Best VoIP Gateways for SMEs and Service Providers

TA Series

Analog VoIP Gateways



- 4/8/16/24/32 FXS ports or 4/8/16 FXO ports
- Advanced and flexible calling rules
- Reliable fax performance with T.38
- High-quality voice compression with industry standard codecs
- Line echo cancellation for 8, 16, 32, 64 or 128 ms echo delays

TE Series

E1/T1/PRI VoIP Gateway



- Up to 60 simultaneous VoIP to ISDN PRI calls
- Software configurable E1/T1/J1 ports and programmable TE/NT Modes
- Flexible and cost-effective call routing to reduce communication costs
- Simple installation and management with easy-to-navigate Web GUI

TG Series

VoIP GSM/3G/4G Gateway for Cost Reduction



- Yeastar TG is a series of VoIP GSM/3G/4G gateway connecting GSM or 3G WCDMA or 4G LTE network to VoIP network directly and can support two-way communication: GSM/3G/4G to VoIP or VoIP to GSM/3G/4G. It is the best GSM trunking solution for IP-based telephone systems, the best fallback solution in case of landlines outages

TB Series BRI VoIP Gateway



- Software configurable TE/NT modes for easy integration
- ISDN PBX has access to VoIP network
- Preserve investment on PBX infrastructure
- Additional ISDN BRI trunking for IP-PBX
- Cost savings on phone calls via VoIP
- ISDN compliant and proven interoperability
- Compatible with various ISDN PBX, IP-PBX, and soft switch
- Low power consumption for your green office